

COMPLETE LIST OF PUBLICATIONS

1. Filippone MG, Freddi S, Zecchini S, Restelli S, Colaluca IN, Bertalot G, Pece S, Tosoni D, Di Fiore PP. Aberrant phosphorylation inactivates Numb in breast cancer causing expansion of the stem cell pool. *J Cell Biol.* 2022 Dec 5;221(12):e202112001. doi: 10.1083/jcb.202112001.
2. Filippone MG, Gaglio D, Bonfanti R, Tucci FA, Ceccacci E, Pennisi R, Bonanomi M, Jodice G, Tillhon M, Montani F, Bertalot G, Freddi S, Vecchi M, Taglialatela A, Romanenghi M, Romeo F, Bianco N, Munzone E, Sanguedolce F, Vago G, Viale G, Di Fiore PP, Minucci S, Alberghina L, Colleoni M, Veronesi P, Tosoni D, Pece S. CDK12 promotes tumorigenesis but induces vulnerability to therapies inhibiting folate one-carbon metabolism in breast cancer. *Nat Commun.* 2022 May 12;13(1):2642. doi: 10.1038/s41467-022-30375-8.
3. Pece S, Sestak I, Montani F, Tillhon M, Maisonneuve P, Freddi S, Chu K, Colleoni M, Veronesi P, Disalvatore D, Viale G, Buus R, Cuzick J, Dowsett M, Di Fiore PP. Comparison of StemPrintER with Oncotype DX Recurrence Score for predicting risk of breast cancer distant recurrence after endocrine therapy. *Eur J Cancer.* 2022 Mar;164:52-61. doi: 10.1016/j.ejca.2022.01.003.
4. Tordonato C, Marzi MJ, Di Fiore PP, Nicassio F. microRNAs transcriptional profiling of mammary stem cells isolated by PKH26 staining and FACS sorting. *Method Cell Biol* 2022; 170: 59. doi: 10.1016/bs.mcb.2022.02.007.
5. Li H, Prever L, Hsu MY, Lo WT, Margaria JP, De Santis MC, Zanini C, Forni M, Novelli F, Pece S, Di Fiore PP, Porporato PE, Martini M, Belabed H, Nazare M, Haucke V, Gulluni F, Hirsch E. Phosphoinositide Conversion Inactivates R-RAS and Drives Metastases in Breast Cancer. *Adv Sci (Weinh).* 2022 Mar;9(9):e2103249. doi: 10.1002/advs.202103249.
6. Green BJ, Marazzini M, Hershey B, Fardin A, Li Q, Wang Z, Giangreco G, Pisati F, Marchesi S, Disanza A, Frittoli E, Martini E, Magni S, Beznoussenko GV, Vernieri C, Lobefaro R, Parazzoli D, Maiuri P, Havas K, Labib M, Sigismund S, Di Fiore PP, Gunby RH, Kelley SO, Scita G. PillarX: A Microfluidic Device to Profile Circulating Tumor Cell Clusters Based on Geometry, Deformability, and Epithelial State. *Small.* 2022 Apr;18(17):e2106097. doi: 10.1002/sml.202106097.
7. Sigismund S, Lanzetti L, Scita G, Di Fiore PP. Endocytosis in the context-dependent regulation of individual and collective cell properties. *Nat Rev Mol Cell Biol.* 2021 Sep;22(9):625-643. doi: 10.1038/s41580-021-00375-5.
8. Bertocchi A, Carloni S, Ravenda PS, Bertalot G, Spadoni I, Lo Cascio A, Gandini S, Lizier M, Braga D, Asnicar F, Segata N, Klaver C, Brescia P, Rossi E, Anselmo A, Guglietta S, Maroli A, Spaggiari P, Tarazona N, Cervantes A, Marsoni S, Lazzari L, Jodice MG, Luise C, Erreni M, Pece S, Di Fiore PP, Viale G, Spinelli A, Pozzi C, Penna G, Rescigno M. Gut vascular barrier impairment leads to intestinal bacteria dissemination and colorectal cancer metastasis to liver. *Cancer Cell.* 2021 May 10;39(5):708-724.e11. doi: 10.1016/j.ccell.2021.03.004.
9. Tordonato C, Marzi MJ, Giangreco G, Freddi S, Bonetti P, Tosoni D, Di Fiore PP, Nicassio F. miR-146 connects stem cell identity with metabolism and pharmacological resistance in breast cancer. *J Cell Biol.* 2021 May 3;220(5):e202009053. doi: 10.1083/jcb.202009053.
10. Schiano Lomoriello I, Giangreco G, Iavarone C, Tordonato C, Caldieri G, Serio G, Confalonieri S, Freddi S, Bianchi F, Pirroni S, Bertalot G, Viale G, Disalvatore D, Tosoni D, Malabarba MG, Disanza A, Scita G, Pece S, Pilcher BK, Vecchi M, Sigismund S, Di Fiore PP. A self-sustaining endocytic-based loop promotes breast cancer plasticity leading to aggressiveness and prometastatic behavior. *Nat Commun.* 2020 Jun 15;11(1):3020. doi: 10.1038/s41467-020-16836-y.
11. Napolitano G, Di Malta C, Esposito A, de Araujo MEG, Pece S, Bertalot G, Matarese M, Benedetti V, Zampelli A, Stasyk T, Siciliano D, Venuta A, Cesana M, Vilaro C, Nusco E, Monfregola J, Calcagni A, Di Fiore PP, Huber LA, Ballabio A. A substrate-specific mTORC1 pathway underlies Birt-Hogg-Dubé syndrome. *Nature.* 2020 Sep;585(7826):597-602. doi: 10.1038/s41586-020-2444-0.

12. Confalonieri S, Colaluca IN, Basile A, Pece S, Di Fiore PP. Exon 3 of the NUMB Gene Emerged in the Chordate Lineage Coopting the NUMB Protein to the Regulation of MDM2. *G3 (Bethesda)*. 2019 Oct 7;9(10):3359-3367. doi: 10.1534/g3.119.400494.
13. Pece S, Disalvatore D, Tosoni D, Vecchi M, Confalonieri S, Bertalot G, Viale G, Colleoni M, Veronesi P, Galimberti V, Di Fiore PP. Identification and clinical validation of a multigene assay that interrogates the biology of cancer stem cells and predicts metastasis in breast cancer: A retrospective consecutive study. *EBioMedicine*. 2019 Apr;42:352-362. doi: 10.1016/j.ebiom.2019.02.036.
14. Pascolutti R, Algisi V, Conte A, Raimondi A, Pasham M, Upadhyayula S, Gaudin R, Maritzen T, Barbieri E, Caldieri G, Tordonato C, Confalonieri S, Freddi S, Malabarba MG, Maspero E, Polo S, Tacchetti C, Haucke V, Kirchhausen T, Di Fiore PP, Sigismund S. Molecularly Distinct Clathrin-Coated Pits Differentially Impact EGFR Fate and Signaling. *Cell Rep*. 2019 Jun 4;27(10):3049-3061.e6. doi: 10.1016/j.celrep.2019.05.017.
15. Marvaso G, Ciardo D, Corrao G, Gandini S, Fodor C, Zerini D, Rojas DP, Augugliaro M, Bonizzi G, Pece S, Cattani F, Mazzocco K, Mistretta FA, Musi G, Alessi S, Petralia G, Pravettoni G, De Cobelli O, Di Fiore PP, Viale G, Orecchia R, Jerezek-Fossa BA. Radioablation +/- hormonotherapy for prostate cancer oligorecurrences (Radiosa trial): potential of imaging and biology (AIRC IG-22159). *BMC Cancer*. 2019 Sep 10;19(1):903. doi: 10.1186/s12885-019-6117-z.
16. Milesi C, Alberici P, Pozzi B, Oldani A, Beznoussenko GV, Raimondi A, Soppo BE, Amodio S, Caldieri G, Malabarba MG, Bertalot G, Confalonieri S, Parazzoli D, Mironov AA, Tacchetti C, Di Fiore PP, Sigismund S, Offenhäuser N. Redundant and nonredundant organismal functions of EPS15 and EPS15L1. *Life Sci Alliance*. 2019 Jan 28;2(1):e201800273. doi: 10.26508/lsa.201800273.
17. Palamidessi A, Malinverno C, Frittoli E, Corallino S, Barbieri E, Sigismund S, Beznoussenko GV, Martini E, Garre M, Ferrara I, Tripodo C, Ascione F, Cavalcanti-Adam EA, Li Q, Di Fiore PP, Parazzoli D, Giavazzi F, Cerbino R, Scita G. Unjamming overcomes kinetic and proliferation arrest in terminally differentiated cells and promotes collective motility of carcinoma. *Nat Mater*. 2019 Nov;18(11):1252-1263. doi: 10.1038/s41563-019-0425-1.
18. Lusito E, Felice B, D'Ario G, Ogier A, Montani F, Di Fiore PP, Bianchi F. Unraveling the role of low-frequency mutated genes in breast cancer. *Bioinformatics*. 2019 Jan 1;35(1):36-46. doi: 10.1093/bioinformatics/bty520.
19. Zobel M, Disanza A, Senic-Matuglia F, Franco M, Colaluca IN, Confalonieri S, Bisi S, Barbieri E, Caldieri G, Sigismund S, Pece S, Chavier P, Di Fiore PP, Scita G. A NUMB-EFA6B-ARF6 recycling route controls apically restricted cell protrusions and mesenchymal motility. *J Cell Biol*. 2018 Sep 3;217(9):3161-3182. doi: 10.1083/jcb.201802023.
20. Colaluca IN, Basile A, Freiburger L, D'Uva V, Disalvatore D, Vecchi M, Confalonieri S, Tosoni D, Cecatiello V, Malabarba MG, Yang CJ, Kainosho M, Sattler M, Mapelli M, Pece S, Di Fiore PP. A Numb-Mdm2 fuzzy complex reveals an isoform-specific involvement of Numb in breast cancer. *J Cell Biol*. 2018 Feb 5;217(2):745-762. doi: 10.1083/jcb.201709092.
21. Corallino S, Malinverno C, Neumann B, Tischer C, Palamidessi A, Frittoli E, Panagiotakopoulou M, Disanza A, Malet-Engra G, Nastaly P, Galli C, Luise C, Bertalot G, Pece S, Di Fiore PP, Gauthier N, Ferrari A, Maiuri P, Scita G. A RAB35-p85/PI3K axis controls oscillatory apical protrusions required for efficient chemotactic migration. *Nat Commun*. 2018 Apr 16;9(1):1475. doi: 10.1038/s41467-018-03571-8.
22. Caldieri G, Malabarba MG, Di Fiore PP, Sigismund S. EGFR Trafficking in Physiology and Cancer. *Prog Mol Subcell Biol*. 2018;57:235-272. doi: 10.1007/978-3-319-96704-2_9.
23. Zobel M, Disanza A, Senic-Matuglia F, Franco M, Colaluca IN, Confalonieri S, Bisi S, Barbieri E, Caldieri G, Sigismund S, Pece S, Chavier P, Di Fiore PP, Scita G. A NUMB-EFA6B-ARF6 recycling route controls apically restricted cell protrusions and mesenchymal motility. *J Cell Biol*. 2018. Sep 3;217(9):3161-3182. doi: 10.1083/jcb.201802023.

24. Lusito E, Felice B, D'Ario G, Ogier A, Montani F, Di Fiore PP, Bianchi F. Unraveling the role of low-frequency mutated genes in breast cancer. *Bioinformatics*. 2019 Jan 1;35(1):36-46. doi: 10.1093/bioinformatics/bty520.
25. Avanzato D, Pupo E, Ducano N, Isella C, Bertalot G, Luise C, Pece S, Bruna A, Rueda OM, Caldas C, Di Fiore PP, Sapino A, Lanzetti L. High USP6NL Levels in Breast Cancer Sustain Chronic AKT Phosphorylation and GLUT1 Stability Fueling Aerobic Glycolysis. *Cancer Res*. 2018. Jul 1;78(13):3432-3444. doi: 10.1158/0008-5472.CAN-17-3018.
26. Corallino S, Malinverno C, Neumann B, Tischer C, Palamidessi A, Frittoli E, Panagiotakopoulou M, Disanza A, Malet-Engra G, Nastaly P, Galli C, Luise C, Bertalot G, Pece S, Di Fiore PP, Gauthier N, Ferrari A, Maiuri P, Scita G. A RAB35-p85/PI3K axis controls oscillatory apical protrusions required for efficient chemotactic migration. *Nat Commun*. 2018 Apr 16;9(1):1475. doi: 10.1038/s41467-018-03571-8. Erratum in: *Nat Commun*. 2018 May 22;9(1):2085.
27. Guarize J, Bianchi F, Marino E, Belloni E, Vecchi M, Donghi S, Lo Iacono G, Casadio C, Cuttano R, Barberis M, Di Fiore PP, Petrella F, Spaggiari L. *J Thorac Dis*. 2018 Jan;10(1):408-415. doi: 10.21037/jtd.2017.12.69.
28. Monterisi S, Lo Riso P, Russo K, Bertalot G, Vecchi M, Testa G, Di Fiore PP, Bianchi F. HOXB7 overexpression in lung cancer is a hallmark of acquired stem-like phenotype. *Oncogene*. 2018. Jun; 37(26):3575-3588. doi: 10.1038/s41388-018-0229-9.
29. Reiterer V, Figueras-Puig C, Le Guerroue F, Confalonieri S, Vecchi M, Jalapothu D, Kanse SM, Deshaies RJ, Di Fiore PP, Behrends C, Farhan H. The pseudophosphatase STYX targets the F-box of FBXW7 and inhibits SCFFBXW7 function. *EMBO J*. 2018. Mar 15;37(6). pii: e99170. doi: 10.15252/embj.201899170.
30. Colaluca IN, Basile A, Freiburger L, D'Uva V, Disalvatore D, Vecchi M, Confalonieri S, Tosoni D, Cecatiello V, Malabarba MG, Yang CJ, Kainosho M, Sattler M, Mapelli M, Pece S, Di Fiore PP. A Numb-Mdm2 fuzzy complex reveals an isoform-specific involvement of Numb in breast cancer. *J Cell Biol*. 2018. Feb 5;217(2):745-762. doi: 10.1083/jcb.201709092.
31. Gulluni F, Martini M, De Santis MC, Campa CC, Ghigo A, Margaria JP, Cirao E, Franco I, Ala U, Annaratone L, Disalvatore D, Bertalot G, Viale G, Noatynska A, Compagno M, Sigismund S, Montemurro F, Thelen M, Fan F, Meraldi P, Marchiò C, Pece S, Sapino A, Chiarle R, Di Fiore PP, Hirsch E. Mitotic Spindle Assembly and Genomic Stability in Breast Cancer Require PI3K-C2 α Scaffolding Function. *Cancer Cell*. 2017 Oct 9;32(4):444-459.e7. doi: 10.1016/j.ccell.2017.09.002.
32. Caldieri G, Barbieri E, Nappo G, Raimondi A, Bonora M, Conte A, Verhoef LGGC, Confalonieri S, Malabarba MG, Bianchi F, Cuomo A, Bonaldi T, Martini E, Mazza D, Pinton P, Tacchetti C, Polo S, Di Fiore PP, Sigismund S. Reticulon 3-dependent ER-PM contact sites control EGFR nonclathrin endocytosis. *Science*. 2017 May 12;356(6338):617-624. doi: 10.1126/science.aah6152.
33. Lanzetti, L. Di Fiore, P.P. Behind the scenes: Endo/Exocytosis in the acquisition of metastatic traits. *Cancer Res*. 2017 Apr 15;77(8):1813-1817. doi: 10.1158/0008-5472.CAN-16-3403.
34. Grasso S, Chapelle J, Salemme V, Aramu S, Russo I, Vitale N, Verdun di Cantogno L, Dallaglio K, Castellano I, Amici A, Centonze G, Sharma N, Lunardi S, Cabodi S, Cavallo F, Lamolinara A, Stramucci L, Moiso E, Provero P, Albin A, Sapino A, Staaf J, Di Fiore PP, Bertalot G, Pece S, Tosoni D, Confalonieri S, Iezzi M, Di Stefano P, Turco E, Defilippi P. The scaffold protein p140Cap limits ERBB2-mediated breast cancer progression interfering with Rac GTPase-controlled circuitries. *Nat Commun*. 2017 Mar 16;8:14797. doi: 10.1038/ncomms14797.
35. Tosoni D, Pambianco S, Ekalle Soppo B, Zecchini S, Bertalot G, Pruneri G, Viale G, Di Fiore PP, Pece S. Pre-clinical validation of a selective anti-cancer stem cell therapy for Numb-deficient human breast cancers. *EMBO Mol Med*. 2017 May;9(5):655-671. doi: 10.15252/emmm.201606940.
36. Reiterer V, Figueras-Puig C, Le Guerroue F, Confalonieri S, Vecchi M, Jalapothu D, Kanse SM, Deshaies RJ, Di Fiore PP, Behrends C, Farhan H. The pseudophosphatase STYX targets

the F-box of FBXW7 and inhibits SCFFBXW7 function. *EMBO J.* 017 Feb 1;36(3):260-273. doi: 10.15252/embj.201694795.

37. Calcagni A, Kors L, Verschuren E, De Cegli R, Zampelli N, Nusco E, Confalonieri S, Bertalot G, Pece S, Settembre C, Malouf GG, Leemans JC, de Heer E, Salvatore M, Peters DJ, Di Fiore PP, Ballabio A. Modelling TFE renal cell carcinoma in mice reveals a critical role of WNT signaling. *Elife.* 2016 Sep 26;5. pii: e17047. doi: 10.7554/eLife.17047.
38. Dama E, Melocchi V, Dezi F, Pirroni S, Carletti RM, Brambilla D, Casiraghi M, Bertalot G, Maisonneuve P, Barberis M, Viale G, Vecchi M, Spaggiari L, Bianchi F, Di Fiore PP. An aggressive subtype of stage I lung adenocarcinoma with molecular and prognostic characteristics typical of advanced lung cancers. *Clin Cancer Res.* 2017 Jan 1;23(1):62-72. doi: 10.1158/1078-0432.CCR-15-3005.
39. Kajihō H, Kajihō Y, Frittoli E, Confalonieri S, Bertalot G, Viale G, Di Fiore PP, Oldani A, Garre M, Beznoussenko GV, Palamidessi A, Vecchi M, Chavrier P, Perez F, Scita G. RAB2A controls MT1-MMP endocytic and E-cadherin polarized Golgi trafficking to promote invasive breast cancer programs. *EMBO Rep.* 2016 Jul;17(7):1061-80. doi: 10.15252/embr.201642032.
40. Dama E, Tillhon M, Bertalot G, de Santis F, Troglio F, Pessina S, Passaro A, Pece S, de Marinis F, Dell'Orto P, Viale G, Spaggiari L, Di Fiore PP, Bianchi F, Barberis M, Vecchi M. Sensitive and affordable diagnostic assay for the quantitative detection of anaplastic lymphoma kinase (ALK) alteration in patients with non-small cell lung cancer. *Oncotarget.* 2016 Jun 14;7(24):37160-37176. doi: 10.18632/oncotarget.9471.
41. Pozzi C, Cuomo A, Spadoni I, Magni E, Silvola A, Conte A, Sigismund S, Ravenda PS, Bonaldi T, Zampino MG, Cancelliere C, Di Fiore PP, Bardelli A, Penna G, Rescigno M. The EGFR-specific antibody Cetuximab combined with chemotherapy triggers immunogenic cell death. *Nat Med.* 2016 Jun;22(6):624-31. doi: 10.1038/nm.4078.
42. Marzi MJ, Montani F, Carletti RM, Dezi F, Dama E, Bonizzi G, Sandri MT, Rampinelli C, Bellomi M, Maisonneuve P, Spaggiari L, Veronesi G, Bianchi F, Di Fiore PP, Nicassio F. Optimization and standardization of circulating microRNA for clinical application: the miR-Test case. *Clin Chem.* 2016 May;62(5):743-54. doi: 10.1373/clinchem.2015.251942.
43. Barbieri E, Di Fiore PP, Sigismund S. Endocytic control of signaling at the plasma membrane. *Curr Opin Cell Biol.* 2016 Feb 9;39:21-27. doi: 10.1016/j.ceb.2016.01.012.
44. Savio MG, Wollscheid N, Cavallaro E, Algisi V, Di Fiore PP, Sigismund S, Maspero E, Polo S. USP9X controls EGFR fate by deubiquitinating the endocytic adaptor Eps15. *Curr Biol.* 2016 Jan 25;26(2):173-83. doi: 10.1016/j.cub.2015.11.050.
45. Tosoni D, Zecchini S, Cozzoli M, Colaluca I, Mazzarol G, Rubio A, Caccia M, Villa E, Zilian O, Di Fiore PP, Pece S. The Numb/p53 circuitry couples replicative self-renewal and tumor suppression in mammary epithelial cells. *J Cell Biol.* 2015 Nov 23;211(4):845-62. doi: 10.1083/jcb.201505037.
46. Giampietro C, Deflorian G, Gallo S, Di Matteo A, Pradella D, Bonomi S, Belloni E, Nyqvist D, Quaranta V, Confalonieri S, Bertalot G, Orsenigo F, Pisati F, Ferrero E, Biamonti G, Fredrickx E, Taveggia C, Wyatt CD, Irimia M, Di Fiore PP, Blencowe BJ, Dejana E, Ghigna C. The alternative splicing factor Nova2 regulates vascular development and lumen formation. *Nat Commun.* 2015 Oct 8;6:8479. doi: 10.1038/ncomms9479.
47. Sanchini V, Bonizzi G, Disalvatore D, Monturano M, Pece S, Viale G, Di Fiore PP, Boniolo G. A Trust-Based Pact in Research Biobanks. From Theory to Practice. *Bioethics.* 2015 Aug 26. doi: 10.1111/bioe.12184.
48. Capuani F, Conte A, Argenzio E, Marchetti L, Priami C, Polo S, Di Fiore PP, Sigismund S, Ciliberto A. Quantitative analysis reveals how EGFR activation and downregulation are coupled in normal but not in cancer cells. *Nat Commun.* 2015 Aug 12;6:7999. doi: 10.1038/ncomms8999.
49. Chiaradonna F, Barozzi I, Miccolo C, Bucci G, Palorini R, Fornasari L, Bortrugno OA, Pruneri G, Masullo M, Passafaro A, Galimberti VE, Fantin VR, Richon VM, Pece S, Viale G, Di Fiore PP, Draetta G, Pelicci P, Minucci S, Chiocca S. Redox mediated suberoylanilide hydroxamic

- acid (SAHA) sensitivity in breast cancer. *Antioxid Redox Signal*. 2015 Jul 1;23(1):15-29. doi: 10.1089/ars.2014.6189.
50. Belloni E, Veronesi G, Rotta L, Volorio S, Sardella D, Bernard L, Pece S, Di Fiore PP, Fumagalli C, Barberis M, Spaggiari L, Pelicci PG, Riva L. Whole exome sequencing identifies driver mutations in asymptomatic computed tomography detected lung cancers with normal karyotype. *Cancer Genet*. 2015 Apr;208(4):152-5. doi: 10.1016/j.cancergen.2015.02.004.
 51. Montani F, Marzi MJ, Dezi F, Dama E, Carletti RM, Bonizzi G, Bertolotti R, Bellomi M, Rampinelli C, Maisonneuve P, Spaggiari L, Veronesi G, Nicassio F, Di Fiore PP, Bianchi F. miR-Test: a blood test for lung cancer early detection. *J Natl Cancer Inst*. 2015 Mar 19;107(6):d1v063. doi: 10.1093/jnci/d1v063.
 52. Tordonato C, Di Fiore PP, Nicassio F. The role of non-coding RNAs in the regulation of stem cells and progenitors in the normal mammary gland and in breast tumors. *Front Genet*. 2015 Feb 27;6:72. doi: 10.3389/fgene.2015.00072.
 53. Corallino S, Malabarba MG, Zobel M, Di Fiore PP, Scita G. Epithelial-to-Mesenchymal plasticity harnesses endocytic circuitries. *Front Oncol*. 2015 Feb 26;5:45. doi: 10.3389/fonc.2015.00045.
 54. Monterisi S, D'Ario G, Dama E, Rotmensch N, Confalonieri S, Tordonato C, Troglio F, Bertalot G, Maisonneuve P, Viale G, Nicassio F, Vecchi M, Di Fiore PP, Bianchi F. Mining cancer expression datasets for latent information on intronic miRNAs. *Mol Oncol*. 2015 Feb;9(2):473-87. doi: 10.1016/j.molonc.2014.10.001.
 55. Marchesi S, Montani F, Deflorian G, D'Antuono R, Cuomo A, Bologna S, Mazzoccoli C, Bonaldi T, Di Fiore PP, Nicassio F. DEPDC-1B coordinates de-adhesion events and cell-cycle progression at mitosis. *Dev Cell*. 2014 Nov 24;31(4):420-33. doi: 10.1016/j.devcel.2014.09.009.
 56. Baschieri F, Confalonieri S, Bertalot G, Di Fiore PP, Dietmaier W, Leist M, Crespo P, Macara IG, Farhan H. Spatial control of Cdc42 signalling by a GM130-RasGRF complex regulates polarity and tumorigenesis. *Nat Commun*. 2014 Sep 11;5:4839. doi: 10.1038/ncomms5839.
 57. Rolland Y, Marighetti P, Malinverno C, Confalonieri S, Luise C, Ducano N, Palamidessi A, Bisi S, Kajihio H, Troglio F, Shcherbakova OG, Dunn AR, Oldani A, Lanzetti L, Di Fiore PP, Disanza A, Scita G. The CDC42-Interacting Protein 4 Controls Epithelial Cell Cohesion and Tumor Dissemination. *Dev Cell*. 2014 Sep 8;30(5):553-68. doi: 10.1016/j.devcel.2014.08.006.
 58. Risolino M, Mandia N, Iavarone F, Dardaei L, Longobardi E, Fernandez S, Talotta F, Bianchi F, Pisati F, Spaggiari L, Harter PN, Mittelbronn M, Schulte D, Incoronato M, Di Fiore PP, Blasi F, Verde P. Transcription factor PREP1 induces EMT and metastasis by controlling the TGF- β -SMAD3 pathway in non-small cell lung adenocarcinoma. *Proc Natl Acad Sci U S A*. 2014 Sep 9;111(36):E3775-84. doi: 10.1073/pnas.1407074111.
 59. Di Fiore, P.P., and Von Zastrow, M. Endocytosis, Signaling, and Beyond. *Cold Spring Harb Perspect Biol*. 2014 Aug 1;6(8):a016865. doi: 10.1101/cshperspect.a016865.
 60. Frittoli E, Palamidessi A, Marighetti P, Confalonieri S, Bianchi F, Malinverno C, Mazzarol G, Viale G, Martin-Padura I, Garré M, Parazzoli D, Mattei V, Cortellino S, Bertalot G, Di Fiore PP, Scita G. A RAB5/RAB4 recycling circuitry induces a proteolytic invasive program and promotes tumor dissemination. *J Cell Biol*. 2014 Jul 21;206(2):307-28. doi: 10.1083/jcb.201403127
 61. MacDonald G, Nalvarte I, Smirnova T, Vecchi M, Aceto N, Dolemeyer A, Frei A, Lienhard S, Wyckoff J, Hess D, Seebacher J, Keusch JJ, Gut H, Salaun D, Mazzarol G, Disalvatore D, Bentires-Alj M, Di Fiore PP, Badache A, Hynes NE. Memo is a copper-dependent redox protein with an essential role in migration and metastasis. *Sci Signal*. 2014 Jun 10;7(329):ra56. doi: 10.1126/scisignal.2004870
 62. De Luca M, Cogli L, Progida C, Nisi V, Pascolutti R, Sigismund S, Di Fiore PP, Bucci C. The Rab-interacting lysosomal protein (RILP) regulates vacuolar ATPase acting on the V1G1 subunit. *J Cell Sci*. 2014 Jun 15;127(Pt 12):2697-708. doi: 10.1242/jcs.142604.

63. Rambaldi D, Pece S, Di Fiore PP. flowFit: a Bioconductor package to estimate proliferation in cell-tracking dye studies. *Bioinformatics*. 2014 Jul 15;30(14):2060-5. doi: 10.1093/bioinformatics/btu127.
64. Polo S, Di Fiore PP, Sigismund S. Keeping EGFR signaling in check: Ubiquitin is the guardian. *Cell Cycle*. 2014;13(5):681-2. doi: 10.4161/cc.27855.
65. D'Antonio M, Guerra RF, Cereda M, Marchesi S, Montani F, Nicassio F, Di Fiore PP, Ciccarelli FD. Recessive cancer genes engage in negative genetic interactions with their functional paralogs. *Cell Rep*. 2013 Dec 26;5(6):1519-26. doi: 10.1016/j.celrep.2013.11.033.
66. Bossi D, Carlomagno F, Pallavicini I, Pruneri G, Trubia M, Raviele PR, Marinelli A, Anaganti S, Cox MC, Viale G, Santoro M, Di Fiore PP, Minucci S. 2013. Functional characterization of a novel FGFR1OP-RET rearrangement in hematopoietic malignancies. *Mol Oncol*. 2014 Mar;8(2):221-31. doi: 10.1016/j.molonc.2013.11.004.
67. Palamidessi, A., Frittoli, E., Ducano, N., Offenhauser, N., Sigismund, S., Kajiho, H., Parazzoli, D., Oldani, A., Gobbi, M., Serini, G., Di Fiore, P.P., Scita, G., and Lanzetti, L. The GTPase activating protein RN-tre controls focal adhesion turn over and cell migration. *Curr Biol*. 2013 Dec 2;23(23):2355-64. doi: 10.1016/j.cub.2013.09.060.
68. Furness, D.N., Johnson, S.L., Manor, U., Rüttiger, L., Tocchetti, A., Offenhauser, N., Olt, J., Goodyear, R.J., Vijayakumar, S., Dai, Y., Hackney, C.M., Franz, C., Di Fiore, P.P., Masetto, S., Jones, S.M., Knipper, M., Holley, M.C., Richardson, G.P., Kachar, B. and Marcotti, W. Progressive hearing loss and gradual deterioration of sensory hair bundles in the ears of mice lacking the actin-binding protein Eps8L2. *Proc Natl Acad Sci U S A*. 2013 Aug 20;110(34):13898-903. doi: 10.1073/pnas.1304644110.
69. Sigismund, S., Algis, V., Nappo, G., Conte, A., Pascolutti, R., Cuomo, A., Bonaldi, T., Argenzio, E., Verhoef, L.G., Maspero, E., Bianchi, F., Capuani, F., Ciliberto, A., Polo, S., Di Fiore, P.P. Threshold-controlled ubiquitination of the EGFR directs receptor fate. *EMBO J*. 2013 Jul 31;32(15):2140-57. doi: 10.1038/emboj.2013.149.
70. Amson, R., Pece, S., Marine, J. C., Di Fiore, P. P., Telerman, A. TPT1/ TCTP-regulated pathways in phenotypic reprogramming. *Trends Cell Biol*. 2013 Jan;23(1):37-46. doi: 10.1016/j.tcb.2012.10.002.
71. Tsushima, H., Malabarba, M.G., Confalonieri, S. Senic-Matuglia, F., Verhoef, L.G., Bartocci, C., D'Ario, G., Cocito, A., Di Fiore, P.P., Salcini, A.E. A snapshot of the physical and functional wiring of the Eps15 homology domain network in the nematode. *PLoS One*. 2013;8(2):e56383. doi: 10.1371/journal.pone.0056383.
72. Pozzi, B., Amodio, S., Lucano, C., Sciullo, A., Ronzoni, S., Castelletti, D., Adler, T., Treise, I., Bethsoltz, I. H., Rathkolb, B., Busch, D.H., Wolf, E., Fuchs, H., Gailus-Durner, V., de Angelis, M. H., Bethsoltz, C., Casola, S., Di Fiore, P. P., Offenhäuser, N. The endocytic adaptor eps15 controls marginal zone B cell numbers. *PLoS One*. 2012;7(11):e50818. doi: 10.1371/journal.pone.0050818.
73. Boniolo, G., Di Fiore, P. P., Pece, S. Trusted consent and research biobanks: towards a 'new alliance' between researchers and donors. *Bioethics*. 2012 Feb;26(2):93-100. doi: 10.1111/j.1467-8519.2010.01823.x.
74. Tosoni, D., Di Fiore, P. P., Pece, S. Functional purification of human and mouse mammary stem cells. *Methods Mol Biol*. 2012;916:59-79. doi: 10.1007/978-1-61779-980-8_6.
75. Sigismund, S., Confalonieri, S., Ciliberto, A., Polo, S., Scita, G., Di Fiore, P. P. Endocytosis and signaling: cell logistics shape the eukaryotic cell plan. *Physiol Rev*. 2012 Jan;92(1):273-366. doi: 10.1152/physrev.00005.2011.
76. Marzi, M. J., Puggioni, E. M., Dall'Olio, V., Bucci, G., Bernard, L., Bianchi, F., Crescenzi, M., Di Fiore, P. P., Nicassio, F. Differentiation-associated microRNAs antagonize the Rb-E2F pathway to restrict proliferation. *J Cell Biol*. 2012 Oct 1;199(1):77-95. doi: 10.1083/jcb.201206033.

77. Bianchi, F., Nicassio, F., Veronesi, G., Di Fiore, P. P. Circulating microRNAs: next-generation biomarkers for early lung cancer detection. *Ecancermedicalscience*. 2012;6:246. doi: 10.3332/ecancer.2012.246.
78. Amson, R., Pece, S., Marine, J. C., Di Fiore, P. P., Telerman, A. TPT1/ TCTP-regulated pathways in phenotypic reprogramming. *Trends Cell Biol*. 2013 Jan;23(1):37-46. doi: 10.1016/j.tcb.2012.10.002.
79. Zampini, V., Ruttiger, L., Johnson, S. L., Franz, C., Furness, D. N., Waldhaus, J., Xiong, H., Hackney, C. M., Holley, M. C., Offenhauser, N., Di Fiore, P. P., Knipper, M., Masetto, S., Marcotti, W. Eps8 regulates hair bundle length and functional maturation of mammalian auditory hair cells. *PLoS Biol*. 2011 Apr;9(4):e1001048. doi: 10.1371/journal.pbio.1001048.
80. Vaggi, F., Disanza, A., Milanesi, F., Di Fiore, P. P., Menna, E., Matteoli, M., Gov, N. S., Scita, G., Ciliberto, A. The Eps8/IRSp53/VASP network differentially controls actin capping and bundling in filopodia formation. *PLoS Comput Biol*. 2011 Jul;7(7):e1002088. doi: 10.1371/journal.pcbi.1002088.
81. Mutti, E., Magnaghi, V., Veber, D., Faroni, A., Pece, S., Di Fiore, P. P., Scalabrino, G. Cobalamin deficiency-induced changes of epidermal growth factor (EGF)-receptor expression and EGF levels in rat spinal cord. *Brain Res*. 2011 Feb 28;1376:23-30. doi: 10.1016/j.brainres.2010.12.056
82. Murakami, M., Giampietro, C., Giannotta, M., Corada, M., Torselli, I., Orsenigo, F., Cocito, A., d'Ario, G., Mazzarol, G., Confalonieri, S., Di Fiore, P. P., Dejana, E. Abrogation of junctional adhesion molecule-A expression induces cell apoptosis and reduces breast cancer progression. *PLoS One*. 2011;6(6):e21242. doi: 10.1371/journal.pone.0021242.
83. Manor, U., Disanza, A., Grati, M., Andrade, L., Lin, H., Di Fiore, P. P., Scita, G., Kachar, B. Regulation of stereocilia length by myosin XVa and whirlin depends on the actin-regulatory protein Eps8. *Curr Biol*. 2011 Jan 25;21(2):167-72. doi: 10.1016/j.cub.2010.12.046
84. Luise, C., Capra, M., Donzelli, M., Mazzarol, G., Jodice, M. G., Nuciforo, P., Viale, G., Di Fiore, P. P., Confalonieri, S. An atlas of altered expression of deubiquitinating enzymes in human cancer. *PLoS One*. 2011 Jan 25;6(1):e15891. doi: 10.1371/journal.pone.0015891.
85. Bresciani, E., Confalonieri, S., Cermenati, S., Cimbri, S., Foglia, E., Beltrame, M., Di Fiore, P. P., Cotelli, F. Zebrafish numb and numblake are involved in primitive erythrocyte differentiation. *PLoS One*. 2010 Dec 13;5(12):e14296. doi: 10.1371/journal.pone.0014296.
86. Bianchi, F., Nicassio, F., Marzi, M., Belloni, E., Dall'olio, V., Bernard, L., Pelosi, G., Maisonneuve, P., Veronesi, G., Di Fiore, P. P. A serum circulating miRNA diagnostic test to identify asymptomatic high-risk individuals with early stage lung cancer. *EMBO Mol Med*. 2011 Aug;3(8):495-503. doi: 10.1002/emmm.201100154.
87. Argenzio, E., Bange, T., Oldrini, B., Bianchi, F., Peesari, R., Mari, S., Di Fiore, P. P., Mann, M., Polo, S. Proteomic snapshot of the EGF-induced ubiquitin network. *Mol Syst Biol*. 2011 Jan 18;7:462. doi: 10.1038/msb.2010.118.
88. Amson, R., Pece, S., Lespagnol, A., Vyas, R., Mazzarol, G., Tosoni, D., Colaluca, I., Viale, G., Rodrigues-Ferreira, S., Wynendaele, J., Chaloin, O., Hoebeke, J., Marine, J. C., Di Fiore, P. P., Telerman, A. Reciprocal repression between P53 and TCTP. *Nat Med*. 2011 Dec 11;18(1):91-9. doi: 10.1038/nm.2546.
89. Tocchetti, A., Soppo, C. B., Zani, F., Bianchi, F., Gagliani, M. C., Pozzi, B., Rozman, J., Elvert, R., Ehrhardt, N., Rathkolb, B., Moerth, C., Horsch, M., Fuchs, H., Gailus-Durner, V., Beckers, J., Klingenspor, M., Wolf, E., Hrabe de Angelis, M., Scanziani, E., Tacchetti, C., Scita, G., Di Fiore, P. P., Offenhauser, N. Loss of the actin remodeler Eps8 causes intestinal defects and improved metabolic status in mice. *PLoS One*. 2010 Mar 2;5(3):e9468. doi: 10.1371/journal.pone.0009468.
90. Scita, G. and Di Fiore, P. P. 2010. The endocytic matrix. *Nature*. 463:464-73.
91. Pece, S., Tosoni, D., Confalonieri, S., Mazzarol, G., Vecchi, M., Ronzoni, S., Bernard, L., Viale, G., Pelicci, P. G. and Di Fiore, P. P. 2010. Biological and molecular heterogeneity of breast cancers correlates with their cancer stem cell content. *Cell*. 140:62-73.

92. Pece, S., Confalonieri, S., P, R. R. and Di Fiore, P. P. 2010. NUMB-ing down cancer by more than just a NOTCH. *Biochim Biophys Acta*. 1815:26-43.
93. Palamidessi, A., Testa, I., Frittoli, E., Barozzi, S., Garre, M., Mazza, D., Di Fiore, P. P., Diaspro, A., Scita, G. and Faretta, M. 2010. Understanding biological dynamics: following cells and molecules to track functions and mechanisms. *Eur Biophys J*. 39:947-57.
94. Longobardi, E., Iotti, G., Di Rosa, P., Mejetta, S., Bianchi, F., Fernandez-Diaz, L. C., Micali, N., Nuciforo, P., Lenti, E., Ponzoni, M., Doglioni, C., Caniatti, M., Di Fiore, P. P. and Blasi, F. 2010. Prepl (pKnox1)-deficiency leads to spontaneous tumor development in mice and accelerates EmuMyc lymphomagenesis: a tumor suppressor role for Prepl. *Mol Oncol*. 4:126-34.
95. Ko, G., Paradise, S., Chen, H., Graham, M., Vecchi, M., Bianchi, F., Cremona, O., Di Fiore, P. P. and De Camilli, P. 2010. Selective high-level expression of epsin 3 in gastric parietal cells, where it is localized at endocytic sites of apical canaliculi. *Proc Natl Acad Sci U S A*. 107:21511-6.
96. Hertzog, M., Milanesi, F., Hazelwood, L., Disanza, A., Liu, H., Perlade, E., Malabarba, M. G., Pasqualato, S., Maiolica, A., Confalonieri, S., Le Clainche, C., Offenhauser, N., Block, J., Rottner, K., Di Fiore, P. P., Carlier, M. F., Volkmann, N., Hanein, D. and Scita, G. 2010. Molecular basis for the dual function of Eps8 on actin dynamics: bundling and capping. *PLoS Biol*. 8:e1000387.
97. Boniolo, G. and Di Fiore, P. P. 2010. Deliberative ethics in a biomedical institution: an example of integration between science and ethics. *J Med Ethics*. 36:409-14.
98. Boniolo, G., D'Agostino, M. and Di Fiore, P. P. 2010. Zsyntax: a formal language for molecular biology with projected applications in text mining and biological prediction. *PLoS One*. 5:e9511.
99. Di Fiore, P. P. 2010. Pier Paolo Di Fiore: plumbing the depths of endocytosis by Powell Kendall. *J Cell Biol*. 188:4-5.
100. Belloni, E., Trubia, M., Gasparini, P., Micucci, C., Tapinassi, C., Confalonieri, S., Nuciforo, P., Martino, B., Lo-Coco, F., Di Fiore, P. P. and Pelicci, P. 2010. Chromosomal rearrangements in acute myeloid leukemia (AML). *Ecancermedicalsecience*. 4:183.
101. Belloni, E., Lahortiga, I., Odero, M., Di Fiore, P. P. and Pelicci, P. G. 2010. Spectral karyotyping (SKY). *Ecancermedicalsecience*. 4:181.
102. Westhoff, B., Colaluca, I. N., D'Ario, G., Donzelli, M., Tosoni, D., Volorio, S., Pelosi, G., Spaggiari, L., Mazzarol, G., Viale, G., Pece, S. and Di Fiore, P. P. 2009. Alterations of the Notch pathway in lung cancer. *Proc Natl Acad Sci U S A*. 106:22293-8.
103. Rustighi, A., Tiberi, L., Soldano, A., Napoli, M., Nuciforo, P., Rosato, A., Kaplan, F., Capobianco, A., Pece, S., Di Fiore, P. P. and Del Sal, G. 2009. The prolyl-isomerase Pin1 is a Notch1 target that enhances Notch1 activation in cancer. *Nat Cell Biol*. 11:133-42.
104. Menna, E., Disanza, A., Cagnoli, C., Schenk, U., Gelsomino, G., Frittoli, E., Hertzog, M., Offenhauser, N., Sawallisch, C., Kreienkamp, H. J., Gertler, F. B., Di Fiore, P. P., Scita, G. and Matteoli, M. 2009. Eps8 regulates axonal filopodia in hippocampal neurons in response to brain-derived neurotrophic factor (BDNF). *PLoS Biol*. 7:e1000138.
105. Di Fiore, P. P. 2009. Endocytosis, signaling and cancer, much more than meets the eye. Preface. *Mol Oncol*. 3:273-9.
106. Confalonieri, S., Quarto, M., Goisis, G., Nuciforo, P., Donzelli, M., Jodice, G., Pelosi, G., Viale, G., Pece, S. and Di Fiore, P. P. 2009. Alterations of ubiquitin ligases in human cancer and their association with the natural history of the tumor. *Oncogene*. 28:2959-68.
107. Cicalese, A., Bonizzi, G., Pasi, C. E., Faretta, M., Ronzoni, S., Giulini, B., Brisken, C., Minucci, S., Di Fiore, P. P. and Pelicci, P. G. 2009. The tumor suppressor p53 regulates polarity of self-renewing divisions in mammary stem cells. *Cell*. 138:1083-95.
108. Vissers, J. H., Nicassio, F., van Lohuizen, M., Di Fiore, P. P. and Citterio, E. 2008. The many faces of ubiquitinated histone H2A: insights from the DUBs. *Cell Div*. 3:8.

109. Boniolo, G. and Di Fiore, P. P. 2008. A defining analysis of the life and death dyad: paving the way for an ethical debate. *J Med Philos.* 33:609-34.
110. Vicidomini, G., Gagliani, M. C., Canfora, M., Cortese, K., Frosi, F., Santangelo, C., Di Fiore, P. P., Boccacci, P., Diaspro, A. and Tacchetti, C. 2008. High data output and automated 3D correlative light-electron microscopy method. *Traffic.* 9:1828-38.
111. Vecchi, M., Confalonieri, S., Nuciforo, P., Viganò, M. A., Capra, M., Bianchi, M., Nicosia, D., Bianchi, F., Galimberti, V., Viale, G., Palermo, G., Riccardi, A., Campanini, R., Daidone, M. G., Pierotti, M. A., Pece, S. and Di Fiore, P. P. 2008. Breast cancer metastases are molecularly distinct from their primary tumors. *Oncogene.* 27:2148-58.
112. Sigismund, S., Argenzio, E., Tosoni, D., Cavallaro, E., Polo, S. and Di Fiore, P. P. 2008. Clathrin-mediated internalization is essential for sustained EGFR signaling but dispensable for degradation. *Dev Cell.* 15:209-19.
113. Polo, S. and Di Fiore, P. P. 2008. Finding the right partner: science or ART? *Cell.* 135:590-2.
114. Palamidessi, A., Frittoli, E., Garre, M., Faretta, M., Mione, M., Testa, I., Diaspro, A., Lanzetti, L., Scita, G. and Di Fiore, P. P. 2008. Endocytic trafficking of Rac is required for the spatial restriction of signaling in cell migration. *Cell.* 134:135-47.
115. Lanzetti, L. and Di Fiore, P. P. 2008. Endocytosis and cancer: an 'insider' network with dangerous liaisons. *Traffic.* 9:2011-21.
116. Frittoli, E., Palamidessi, A., Pizzigoni, A., Lanzetti, L., Garre, M., Troglio, F., Troilo, A., Fukuda, M., Di Fiore, P. P., Scita, G. and Confalonieri, S. 2008. The primate-specific protein TBC1D3 is required for optimal macropinocytosis in a novel ARF6-dependent pathway. *Mol Biol Cell.* 19:1304-16.
117. Di Fiore, P. P. 2008. Playing both sides: nucleophosmin between tumor suppression and oncogenesis. *J Cell Biol.* 182:7-9.
118. Colaluca, I. N., Tosoni, D., Nuciforo, P., Senic-Matuglia, F., Galimberti, V., Viale, G., Pece, S. and Di Fiore, P. P. 2008. NUMB controls p53 tumour suppressor activity. *Nature.* 451:76-80.
119. Bianchi, F., Nicassio, F. and Di Fiore, P. P. 2008. Unbiased vs. biased approaches to the identification of cancer signatures: the case of lung cancer. *Cell Cycle.* 7:729-34.
120. Vecchi, M., Nuciforo, P., Romagnoli, S., Confalonieri, S., Pellegrini, C., Serio, G., Quarto, M., Capra, M., Roviato, G. C., Contessini Avesani, E., Corsi, C., Coggi, G., Di Fiore, P. P. and Bosari, S. 2007. Gene expression analysis of early and advanced gastric cancers. *Oncogene.* 26:4284-94.
121. Shing, D. C., Trubia, M., Marchesi, F., Radaelli, E., Belloni, E., Tapinassi, C., Scanziani, E., Mecucci, C., Crescenzi, B., Lahortiga, I., Odero, M. D., Zardo, G., Gruszka, A., Minucci, S., Di Fiore, P. P. and Pelicci, P. G. 2007. Overexpression of sPRDM16 coupled with loss of p53 induces myeloid leukemias in mice. *J Clin Invest.* 117:3696-707.
122. Rose, S., Malabarba, M. G., Krag, C., Schultz, A., Tsushima, H., Di Fiore, P. P. and Salcini, A. E. 2007. *Caenorhabditis elegans* intersectin: a synaptic protein regulating neurotransmission. *Mol Biol Cell.* 18:5091-9.
123. Nicassio, F., Corrado, N., Vissers, J. H., Areces, L. B., Bergink, S., Marteijs, J. A., Geverts, B., Houtsmuller, A. B., Vermeulen, W., Di Fiore, P. P. and Citterio, E. 2007. Human USP3 is a chromatin modifier required for S phase progression and genome stability. *Curr Biol.* 17:1972-7.
124. Maiorano, E., Favia, G., Pece, S., Resta, L., Maisonneuve, P., Di Fiore, P. P., Capodiferro, S., Urbani, U. and Viale, G. 2007. Prognostic implications of NUMB immunoreactivity in salivary gland carcinomas. *Int J Immunopathol Pharmacol.* 20:779-89.
125. Bianchi, F., Nuciforo, P., Vecchi, M., Bernard, L., Tizzoni, L., Marchetti, A., Buttitta, F., Felicioni, L., Nicassio, F. and Di Fiore, P. P. 2007. Survival prediction of stage I lung adenocarcinomas by expression of 10 genes. *J Clin Invest.* 117:3436-44.
126. Woelk, T., Oldrini, B., Maspero, E., Confalonieri, S., Cavallaro, E., Di Fiore, P. P. and Polo, S. 2006. Molecular mechanisms of coupled monoubiquitination. *Nat Cell Biol.* 8:1246-54.

127. Stetak, A., Hoier, E. F., Croce, A., Cassata, G., Di Fiore, P. P. and Hajnal, A. 2006. Cell fate-specific regulation of EGF receptor trafficking during *Caenorhabditis elegans* vulval development. *EMBO J.* 25:2347-57.
128. Polo, S. and Di Fiore, P. P. 2006. Endocytosis conducts the cell signaling orchestra. *Cell.* 124:897-900.
129. Penengo, L., Mapelli, M., Murachelli, A. G., Confalonieri, S., Magri, L., Musacchio, A., Di Fiore, P. P., Polo, S. and Schneider, T. R. 2006. Crystal structure of the ubiquitin binding domains of rabex-5 reveals two modes of interaction with ubiquitin. *Cell.* 124:1183-95.
130. Offenhauser, N., Castelletti, D., Mapelli, L., Soppo, B. E., Regondi, M. C., Rossi, P., D'Angelo, E., Frassoni, C., Amadeo, A., Tocchetti, A., Pozzi, B., Disanza, A., Guarnieri, D., Betsholtz, C., Scita, G., Heberlein, U. and Di Fiore, P. P. 2006. Increased ethanol resistance and consumption in *Eps8* knockout mice correlates with altered actin dynamics. *Cell.* 127:213-26.
131. Disanza, A., Mantoani, S., Hertzog, M., Gerboth, S., Frittoli, E., Steffen, A., Berhoerster, K., Kreienkamp, H. J., Milanese, F., Di Fiore, P. P., Ciliberto, A., Stradal, T. E. and Scita, G. 2006. Regulation of cell shape by *Cdc42* is mediated by the synergic actin-bundling activity of the *Eps8-IRSp53* complex. *Nat Cell Biol.* 8:1337-47.
132. Capra, M., Nuciforo, P. G., Confalonieri, S., Quarto, M., Bianchi, M., Nebuloni, M., Boldorini, R., Pallotti, F., Viale, G., Gishizky, M. L., Draetta, G. F. and Di Fiore, P. P. 2006. Frequent alterations in the expression of serine/threonine kinases in human cancers. *Cancer Res.* 66:8147-54.
133. Vecchi, M. and Di Fiore, P. P. 2005. It's HIP to be a hub: new trends for old-fashioned proteins. *J Cell Biol.* 170:169-71.
134. Tosoni, D., Puri, C., Confalonieri, S., Salcini, A. E., De Camilli, P., Tacchetti, C. and Di Fiore, P. P. 2005. TTP specifically regulates the internalization of the transferrin receptor. *Cell.* 123:875-88.
135. Sigismund, S., Woelk, T., Puri, C., Maspero, E., Tacchetti, C., Transidico, P., Di Fiore, P. P. and Polo, S. 2005. Clathrin-independent endocytosis of ubiquitinated cargos. *Proc Natl Acad Sci U S A.* 102:2760-5.
136. Puri, C., Tosoni, D., Comai, R., Rabellino, A., Segat, D., Caneva, F., Luzzi, P., Di Fiore, P. P. and Tacchetti, C. 2005. Relationships between EGFR signaling-competent and endocytosis-competent membrane microdomains. *Mol Biol Cell.* 16:2704-18.
137. Nicassio, F., Bianchi, F., Capra, M., Vecchi, M., Confalonieri, S., Bianchi, M., Pajalunga, D., Crescenzi, M., Bonapace, I. M. and Di Fiore, P. P. 2005. A cancer-specific transcriptional signature in human neoplasia. *J Clin Invest.* 115:3015-25.
138. Mao, Y., Senic-Matuglia, F., Di Fiore, P. P., Polo, S., Hodsdon, M. E. and De Camilli, P. 2005. Deubiquitinating function of ataxin-3: insights from the solution structure of the Josephin domain. *Proc Natl Acad Sci U S A.* 102:12700-5.
139. Lahortiga, I., Belloni, E., Vazquez, I., Agirre, X., Larrayoz, M. J., Vizmanos, J. L., Valganon, M., Zudaire, I., Saez, B., Mateos, M. C., Di Fiore, P. P., Calasanz, M. J. and Otero, M. D. 2005. NUP98 is fused to HOXA9 in a variant complex t(7;11;13;17) in a patient with AML-M2. *Cancer Genet Cytogenet.* 157:151-6.
140. Innocenti, M., Gerboth, S., Rottner, K., Lai, F. P., Hertzog, M., Stradal, T. E., Frittoli, E., Didry, D., Polo, S., Disanza, A., Benesch, S., Di Fiore, P. P., Carlier, M. F. and Scita, G. 2005. Ahi1 regulates the activity of N-WASP and WAVE in distinct actin-based processes. *Nat Cell Biol.* 7:969-76.
141. Gorletta, T. A., Gasparini, P., D'Elis, M. M., Trubia, M., Pelicci, P. G. and Di Fiore, P. P. 2005. Frequent loss of heterozygosity without loss of genetic material in acute myeloid leukemia with a normal karyotype. *Genes Chromosomes Cancer.* 44:334-7.
142. Belloni, E., Trubia, M., Gasparini, P., Micucci, C., Tapinassi, C., Confalonieri, S., Nuciforo, P., Martino, B., Lo-Coco, F., Pelicci, P. G. and Di Fiore, P. P. 2005. 8p11 myeloproliferative syndrome with a novel t(7;8) translocation leading to fusion of the FGFR1 and TIF1 genes. *Genes Chromosomes Cancer.* 42:320-5.

143. Sini, P., Cannas, A., Koleske, A. J., Di Fiore, P. P. and Scita, G. 2004. Abl-dependent tyrosine phosphorylation of Sos-1 mediates growth-factor-induced Rac activation. *Nat Cell Biol.* 6:268-74.
144. Sigismund, S., Polo, S. and Di Fiore, P. P. 2004. Signaling through monoubiquitination. *Curr Top Microbiol Immunol.* 286:149-85.
145. Querbes, W., Benmerah, A., Tosoni, D., Di Fiore, P. P. and Atwood, W. J. 2004. A JC virus-induced signal is required for infection of glial cells by a clathrin- and eps15-dependent pathway. *J Virol.* 78:250-6.
146. Polo, S., Pece, S. and Di Fiore, P. P. 2004. Endocytosis and cancer. *Curr Opin Cell Biol.* 16:156-61.
147. Pece, S., Serresi, M., Santolini, E., Capra, M., Hulleman, E., Galimberti, V., Zurrada, S., Maisonneuve, P., Viale, G. and Di Fiore, P. P. 2004. Loss of negative regulation by Numb over Notch is relevant to human breast carcinogenesis. *J Cell Biol.* 167:215-21.
148. Offenhauser, N., Borgonovo, A., Disanza, A., Romano, P., Ponzanelli, I., Iannolo, G., Di Fiore, P. P. and Scita, G. 2004. The eps8 family of proteins links growth factor stimulation to actin reorganization generating functional redundancy in the Ras/Rac pathway. *Mol Biol Cell.* 15:91-8.
149. Lanzetti, L., Palamidessi, A., Areces, L., Scita, G. and Di Fiore, P. P. 2004. Rab5 is a signalling GTPase involved in actin remodelling by receptor tyrosine kinases. *Nature.* 429:309-14.
150. Innocenti, M., Zucconi, A., Disanza, A., Frittoli, E., Areces, L. B., Steffen, A., Stradal, T. E., Di Fiore, P. P., Carlier, M. F. and Scita, G. 2004. Abi1 is essential for the formation and activation of a WAVE2 signalling complex. *Nat Cell Biol.* 6:319-27.
151. Disanza, A., Carlier, M. F., Stradal, T. E., Didry, D., Frittoli, E., Confalonieri, S., Croce, A., Wehland, J., Di Fiore, P. P. and Scita, G. 2004. Eps8 controls actin-based motility by capping the barbed ends of actin filaments. *Nat Cell Biol.* 6:1180-8.
152. Croce, A., Cassata, G., Disanza, A., Gagliani, M. C., Tacchetti, C., Malabarba, M. G., Carlier, M. F., Scita, G., Baumeister, R. and Di Fiore, P. P. 2004. A novel actin barbed-end-capping activity in EPS-8 regulates apical morphogenesis in intestinal cells of *Caenorhabditis elegans*. *Nat Cell Biol.* 6:1173-9.
153. Citterio, E., Papait, R., Nicassio, F., Vecchi, M., Gomiero, P., Mantovani, R., Di Fiore, P. P. and Bonapace, I. M. 2004. Np95 is a histone-binding protein endowed with ubiquitin ligase activity. *Mol Cell Biol.* 24:2526-35.
154. Bianchi, F., Hu, J., Pelosi, G., Cirincione, R., Ferguson, M., Ratcliffe, C., Di Fiore, P. P., Gatter, K., Pezzella, F. and Pastorino, U. 2004. Lung cancers detected by screening with spiral computed tomography have a malignant phenotype when analyzed by cDNA microarray. *Clin Cancer Res.* 10:6023-8.
155. Belloni, E., Trubia, M., Mancini, M., Derme, V., Nanni, M., Lahortiga, I., Riccioni, R., Confalonieri, S., Lo-Coco, F., Di Fiore, P. P. and Pelicci, P. G. 2004. A new complex rearrangement involving the ETV6, LOC115548, and MN1 genes in a case of acute myeloid leukemia. *Genes Chromosomes Cancer.* 41:272-7.
156. Tocchetti, A., Confalonieri, S., Scita, G., Di Fiore, P. P. and Betsholtz, C. 2003. In silico analysis of the EPS8 gene family: genomic organization, expression profile, and protein structure. *Genomics.* 81:234-44.
157. Polo, S., Confalonieri, S., Salcini, A. E. and Di Fiore, P. P. 2003. EH and UIM: endocytosis and more. *Sci STKE.* 2003:re17.
158. Innocenti, M., Frittoli, E., Ponzanelli, I., Falck, J. R., Brachmann, S. M., Di Fiore, P. P. and Scita, G. 2003. Phosphoinositide 3-kinase activates Rac by entering in a complex with Eps8, Abi1, and Sos-1. *J Cell Biol.* 160:17-23.
159. Haglund, K., Sigismund, S., Polo, S., Szymkiewicz, I., Di Fiore, P. P. and Dikic, I. 2003. Multiple monoubiquitination of RTKs is sufficient for their endocytosis and degradation. *Nat Cell Biol.* 5:461-6.

160. Haglund, K., Di Fiore, P. P. and Dikic, I. 2003. Distinct monoubiquitin signals in receptor endocytosis. *Trends Biochem Sci.* 28:598-603.
161. Di Fiore, P. P., Polo, S. and Hofmann, K. 2003. When ubiquitin meets ubiquitin receptors: a signalling connection. *Nat Rev Mol Cell Biol.* 4:491-7.
162. Di Fiore, P. P. and Pelicci, P. G. 2003. Cell Regulation. *Curr Opin Cell Biol.* 15.
163. Di Fiore, P. P. and Pelicci, P. G. 2003. The price of integration. *Curr Opin Cell Biol.* 15:125-127.
164. Di Fiore, P. P. 2003. Signal transduction: life on Mars, cellularly speaking. *Nature.* 424:624-5.
165. Chen, H., Polo, S., Di Fiore, P. P. and De Camilli, P. V. 2003. Rapid Ca²⁺-dependent decrease of protein ubiquitination at synapses. *Proc Natl Acad Sci U S A.* 100:14908-13.
166. Alcalay, M., Meani, N., Gelmetti, V., Fantozzi, A., Fagioli, M., Orleth, A., Riganelli, D., Sebastiani, C., Cappelli, E., Casciari, C., Scieurpi, M. T., Mariano, A. R., Minardi, S. P., Luzi, L., Muller, H., Di Fiore, P. P., Frosina, G. and Pelicci, P. G. 2003. Acute myeloid leukemia fusion proteins deregulate genes involved in stem cell maintenance and DNA repair. *J Clin Invest.* 112:1751-61.
167. Poupon, V., Polo, S., Vecchi, M., Martin, G., Dautry-Varsat, A., Cerf-Bensussan, N., Di Fiore, P. P. and Benmerah, A. 2002. Differential nucleocytoplasmic trafficking between the related endocytic proteins Eps15 and Eps15R. *J Biol Chem.* 277:8941-8.
168. Polo, S., Sigismund, S., Faretta, M., Guidi, M., Capua, M. R., Bossi, G., Chen, H., De Camilli, P. and Di Fiore, P. P. 2002. A single motif responsible for ubiquitin recognition and monoubiquitination in endocytic proteins. *Nature.* 416:451-5.
169. Innocenti, M., Tenca, P., Frittoli, E., Faretta, M., Tocchetti, A., Di Fiore, P. P. and Scita, G. 2002. Mechanisms through which Sos-1 coordinates the activation of Ras and Rac. *J Cell Biol.* 156:125-36.
170. Di Fiore, P. P. and Scita, G. 2002. Eps8 in the midst of GTPases. *Int J Biochem Cell Biol.* 34:1178-83.
171. Confalonieri, S. and Di Fiore, P. P. 2002. The Eps15 homology (EH) domain. *FEBS Lett.* 513:24-9.
172. Bonapace, I. M., Latella, L., Papait, R., Nicassio, F., Sacco, A., Muto, M., Crescenzi, M. and Di Fiore, P. P. 2002. Np95 is regulated by E1A during mitotic reactivation of terminally differentiated cells and is essential for S phase entry. *J Cell Biol.* 157:909-14.
173. Vecchi, M., Polo, S., Poupon, V., van de Loo, J. W., Benmerah, A. and Di Fiore, P. P. 2001. Nucleocytoplasmic shuttling of endocytic proteins. *J Cell Biol.* 153:1511-7.
174. Scita, G., Tenca, P., Areces, L. B., Tocchetti, A., Frittoli, E., Giardina, G., Ponzanelli, I., Sini, P., Innocenti, M. and Di Fiore, P. P. 2001. An effector region in Eps8 is responsible for the activation of the Rac-specific GEF activity of Sos-1 and for the proper localization of the Rac-based actin-polymerizing machine. *J Cell Biol.* 154:1031-44.
175. Salcini, A. E., Hilliard, M. A., Croce, A., Arbucci, S., Luzzi, P., Tacchetti, C., Daniell, L., De Camilli, P., Pelicci, P. G., Di Fiore, P. P. and Bazzicalupo, P. 2001. The Eps15 C. elegans homologue EHS-1 is implicated in synaptic vesicle recycling. *Nat Cell Biol.* 3:755-60.
176. Malabarba, M. G., Milia, E., Faretta, M., Zamponi, R., Pelicci, P. G. and Di Fiore, P. P. 2001. A repertoire library that allows the selection of synthetic SH2s with altered binding specificities. *Oncogene.* 20:5186-94.
177. Lanzetti, L., Di Fiore, P. P. and Scita, G. 2001. Pathways linking endocytosis and actin cytoskeleton in mammalian cells. *Exp Cell Res.* 271:45-56.
178. Di Fiore, P. P. and Fazioli, F. 2001. Purification of tyrosine-phosphorylated proteins by immunoaffinity chromatography and direct cloning of their cDNAs from bacterial expression libraries. *Methods Mol Biol.* 124:221-37.
179. Di Fiore, P. P. and De Camilli, P. 2001. Endocytosis and signaling. an inseparable partnership. *Cell.* 106:1-4.
180. Scita, G., Tenca, P., Frittoli, E., Tocchetti, A., Innocenti, M., Giardina, G. and Di Fiore, P. P. 2000. Signaling from Ras to Rac and beyond: not just a matter of GEFs. *EMBO J.* 19:2393-8.

181. Santolini, E., Puri, C., Salcini, A. E., Gagliani, M. C., Pelicci, P. G., Tacchetti, C. and Di Fiore, P. P. 2000. Numb is an endocytic protein. *J Cell Biol.* 151:1345-52.
182. Offenhauser, N., Santolini, E., Simeone, A. and Di Fiore, P. P. 2000. Differential patterns of expression of Eps15 and Eps15R during mouse embryogenesis. *Mech Dev.* 95:309-12.
183. Luzi, L., Confalonieri, S., Di Fiore, P. P. and Pelicci, P. G. 2000. Evolution of Shc functions from nematode to human. *Curr Opin Genet Dev.* 10:668-74.
184. Lanzetti, L., Rybin, V., Malabarba, M. G., Christoforidis, S., Scita, G., Zerial, M. and Di Fiore, P. P. 2000. The Eps8 protein coordinates EGF receptor signalling through Rac and trafficking through Rab5. *Nature.* 408:374-7.
185. Hyman, J., Chen, H., Di Fiore, P. P., De Camilli, P. and Brunger, A. T. 2000. Epsin 1 undergoes nucleocytoplasmic shuttling and its eps15 interactor NH(2)-terminal homology (ENTH) domain, structurally similar to Armadillo and HEAT repeats, interacts with the transcription factor promyelocytic leukemia Zn(2)+ finger protein (PLZF). *J Cell Biol.* 149:537-46.
186. Confalonieri, S., Salcini, A. E., Puri, C., Tacchetti, C. and Di Fiore, P. P. 2000. Tyrosine phosphorylation of Eps15 is required for ligand-regulated, but not constitutive, endocytosis. *J Cell Biol.* 150:905-12.
187. Torrisi, M. R., Lotti, L. V., Belleudi, F., Gradini, R., Salcini, A. E., Confalonieri, S., Pelicci, P. G. and Di Fiore, P. P. 1999. Eps15 is recruited to the plasma membrane upon epidermal growth factor receptor activation and localizes to components of the endocytic pathway during receptor internalization. *Mol Biol Cell.* 10:417-34.
188. Tassi, E., Biesova, Z., Di Fiore, P. P., Gutkind, J. S. and Wong, W. T. 1999. Human JIK, a novel member of the STE20 kinase family that inhibits JNK and is negatively regulated by epidermal growth factor. *J Biol Chem.* 274:33287-95.
189. Scita, G., Nordstrom, J., Carbone, R., Tenca, P., Giardina, G., Gutkind, S., Bjarnegard, M., Betsholtz, C. and Di Fiore, P. P. 1999. EPS8 and E3B1 transduce signals from Ras to Rac. *Nature.* 401:290-3.
190. Santolini, E., Salcini, A. E., Kay, B. K., Yamabhai, M. and Di Fiore, P. P. 1999. The EH network. *Exp Cell Res.* 253:186-209.
191. Salcini, A. E., Chen, H., Iannolo, G., De Camilli, P. and Di Fiore, P. P. 1999. Epidermal growth factor pathway substrate 15, Eps15. *Int J Biochem Cell Biol.* 31:805-9.
192. Rosenthal, J. A., Chen, H., Slepnev, V. I., Pellegrini, L., Salcini, A. E., Di Fiore, P. P. and De Camilli, P. 1999. The epsins define a family of proteins that interact with components of the clathrin coat and contain a new protein module. *J Biol Chem.* 274:33959-65.
193. Pelliccioli, A., Lucca, C., Liberi, G., Marini, F., Lopes, M., Plevani, P., Romano, A., Di Fiore, P. P. and Foiani, M. 1999. Activation of Rad53 kinase in response to DNA damage and its effect in modulating phosphorylation of the lagging strand DNA polymerase. *EMBO J.* 18:6561-72.
194. Mongiovi, A. M., Romano, P. R., Panni, S., Mendoza, M., Wong, W. T., Musacchio, A., Cesareni, G. and Di Fiore, P. P. 1999. A novel peptide-SH3 interaction. *EMBO J.* 18:5300-9.
195. Melillo, R. M., Barone, M. V., Lupoli, G., Cirafici, A. M., Carlomagno, F., Visconti, R., Matoskova, B., Di Fiore, P. P., Vecchio, G., Fusco, A. and Santoro, M. 1999. Ret-mediated mitogenesis requires Src kinase activity. *Cancer Res.* 59:1120-6.
196. Doria, M., Salcini, A. E., Colombo, E., Parslow, T. G., Pelicci, P. G. and Di Fiore, P. P. 1999. The eps15 homology (EH) domain-based interaction between eps15 and hrb connects the molecular machinery of endocytosis to that of nucleocytoplasmic transport. *J Cell Biol.* 147:1379-84.
197. Di Fiore, P. P. and Gill, G. N. 1999. Endocytosis and mitogenic signaling. *Curr Opin Cell Biol.* 11:483-8.
198. Chen, H., Slepnev, V. I., Di Fiore, P. P. and De Camilli, P. 1999. The interaction of epsin and Eps15 with the clathrin adaptor AP-2 is inhibited by mitotic phosphorylation and enhanced by stimulation-dependent dephosphorylation in nerve terminals. *J Biol Chem.* 274:3257-60.

199. Provenzano, C., Gallo, R., Carbone, R., Di Fiore, P. P., Falcone, G., Castellani, L. and Alema, S. 1998. Eps8, a tyrosine kinase substrate, is recruited to the cell cortex and dynamic F-actin upon cytoskeleton remodeling. *Exp Cell Res.* 242:186-200.
200. Paoluzi, S., Castagnoli, L., Lauro, I., Salcini, A. E., Coda, L., Fre, S., Confalonieri, S., Pelicci, P. G., Di Fiore, P. P. and Cesareni, G. 1998. Recognition specificity of individual EH domains of mammals and yeast. *EMBO J.* 17:6541-50.
201. Naviglio, S., Matteucci, C., Matoskova, B., Nagase, T., Nomura, N., Di Fiore, P. P. and Draetta, G. F. 1998. UBPY: a growth-regulated human ubiquitin isopeptidase. *EMBO J.* 17:3241-50.
202. Grim, J., Deshane, J., Siegal, G. P., Alvarez, R. D., Di Fiore, P. P. and Curiel, D. T. 1998. The level of erbB2 expression predicts sensitivity to the cytotoxic effects of an intracellular anti-erbB2 sFv. *J Mol Med (Berl).* 76:451-8.
203. Coda, L., Salcini, A. E., Confalonieri, S., Pelicci, G., Sorkina, T., Sorkin, A., Pelicci, P. G. and Di Fiore, P. P. 1998. Eps15R is a tyrosine kinase substrate with characteristics of a docking protein possibly involved in coated pits-mediated internalization. *J Biol Chem.* 273:3003-12.
204. Chen, H., Fre, S., Slepnev, V. I., Capua, M. R., Takei, K., Butler, M. H., Di Fiore, P. P. and De Camilli, P. 1998. Epsin is an EH-domain-binding protein implicated in clathrin-mediated endocytosis. *Nature.* 394:793-7.
205. Tebar, F., Confalonieri, S., Carter, R. E., Di Fiore, P. P. and Sorkin, A. 1997. Eps15 is constitutively oligomerized due to homophilic interaction of its coiled-coil region. *J Biol Chem.* 272:15413-8.
206. Salcini, A. E., Confalonieri, S., Doria, M., Santolini, E., Tassi, E., Minenkova, O., Cesareni, G., Pelicci, P. G. and Di Fiore, P. P. 1997. Binding specificity and in vivo targets of the EH domain, a novel protein-protein interaction module. *Genes Dev.* 11:2239-49.
207. Rogaia, D., Grignani, F., Carbone, R., Riganelli, D., LoCoco, F., Nakamura, T., Croce, C. M., Di Fiore, P. P. and Pelicci, P. G. 1997. The localization of the HRX/ALL1 protein to specific nuclear subdomains is altered by fusion with its eps15 translocation partner. *Cancer Res.* 57:799-802.
208. Migliaccio, E., Mele, S., Salcini, A. E., Pelicci, G., Lai, K. M., Superti-Furga, G., Pawson, T., Di Fiore, P. P., Lanfrancone, L. and Pelicci, P. G. 1997. Opposite effects of the p52shc/p46shc and p66shc splicing isoforms on the EGF receptor-MAP kinase-fos signalling pathway. *EMBO J.* 16:706-16.
209. Lenferink, A. E., Kramer, R. H., van Vugt, M. J., Konigswieser, M., Di Fiore, P. P., van Zoelen, E. J. and van de Poll, M. L. 1997. Superagonistic behaviour of epidermal growth factor/transforming growth factor-alpha chimaeras: correlation with receptor routing after ligand-induced internalization. *Biochem J.* 327 (Pt 3):859-65.
210. Kishan, K. V., Scita, G., Wong, W. T., Di Fiore, P. P. and Newcomer, M. E. 1997. The SH3 domain of Eps8 exists as a novel intertwined dimer. *Nat Struct Biol.* 4:739-43.
211. Iannolo, G., Salcini, A. E., Gaidarov, I., Goodman, O. B., Jr., Baulida, J., Carpenter, G., Pelicci, P. G., Di Fiore, P. P. and Keen, J. H. 1997. Mapping of the molecular determinants involved in the interaction between eps15 and AP-2. *Cancer Res.* 57:240-5.
212. Haffner, C., Takei, K., Chen, H., Ringstad, N., Hudson, A., Butler, M. H., Salcini, A. E., Di Fiore, P. P. and De Camilli, P. 1997. Synaptojanin 1: localization on coated endocytic intermediates in nerve terminals and interaction of its 170 kDa isoform with Eps15. *FEBS Lett.* 419:175-80.
213. Gallo, R., Provenzano, C., Carbone, R., Di Fiore, P. P., Castellani, L., Falcone, G. and Alema, S. 1997. Regulation of the tyrosine kinase substrate Eps8 expression by growth factors, v-Src and terminal differentiation. *Oncogene.* 15:1929-36.
214. Di Fiore, P. P., Pelicci, P. G. and Sorkin, A. 1997. EH: a novel protein-protein interaction domain potentially involved in intracellular sorting. *Trends Biochem Sci.* 22:411-3.

215. Carbone, R., Fre, S., Iannolo, G., Belleudi, F., Mancini, P., Pelicci, P. G., Torrissi, M. R. and Di Fiore, P. P. 1997. eps15 and eps15R are essential components of the endocytic pathway. *Cancer Res.* 57:5498-504.
216. Pandey, A., Liu, X., Dixon, J. E., Di Fiore, P. P. and Dixit, V. M. 1996. Direct association between the Ret receptor tyrosine kinase and the Src homology 2-containing adapter protein Grb7. *J Biol Chem.* 271:10607-10.
217. Matoskova, B., Wong, W. T., Seki, N., Nagase, T., Nomura, N., Robbins, K. C. and Di Fiore, P. P. 1996. RN-tre identifies a family of tre-related proteins displaying a novel potential protein binding domain. *Oncogene.* 12:2563-71.
218. Matoskova, B., Wong, W. T., Nomura, N., Robbins, K. C. and Di Fiore, P. P. 1996. RN-tre specifically binds to the SH3 domain of eps8 with high affinity and confers growth advantage to NIH3T3 upon carboxy-terminal truncation. *Oncogene.* 12:2679-88.
219. Carlomagno, F., De Vita, G., Berlingieri, M. T., de Franciscis, V., Melillo, R. M., Colantuoni, V., Kraus, M. H., Di Fiore, P. P., Fusco, A. and Santoro, M. 1996. Molecular heterogeneity of RET loss of function in Hirschsprung's disease. *EMBO J.* 15:2717-25.
220. Califano, D., D'Alessio, A., Colucci-D'Amato, G. L., De Vita, G., Monaco, C., Santelli, G., Di Fiore, P. P., Vecchio, G., Fusco, A., Santoro, M. and de Franciscis, V. 1996. A potential pathogenetic mechanism for multiple endocrine neoplasia type 2 syndromes involves ret-induced impairment of terminal differentiation of neuroepithelial cells. *Proc Natl Acad Sci U S A.* 93:7933-7.
221. Baulida, J., Kraus, M. H., Alimandi, M., Di Fiore, P. P. and Carpenter, G. 1996. All ErbB receptors other than the epidermal growth factor receptor are endocytosis impaired. *J Biol Chem.* 271:5251-7.
222. Wong, W. T., Schumacher, C., Salcini, A. E., Romano, A., Castagnino, P., Pelicci, P. G. and Di Fiore, P. P. 1995. A protein-binding domain, EH, identified in the receptor tyrosine kinase substrate Eps15 and conserved in evolution. *Proc Natl Acad Sci U S A.* 92:9530-4.
223. Schumacher, C., Knudsen, B. S., Ohuchi, T., Di Fiore, P. P., Glassman, R. H. and Hanafusa, H. 1995. The SH3 domain of Crk binds specifically to a conserved proline-rich motif in Eps15 and Eps15R. *J Biol Chem.* 270:15341-7.
224. Sastry, L., Lin, W., Wong, W. T., Di Fiore, P. P., Scoppa, C. A. and King, C. R. 1995. Quantitative analysis of Grb2-Sos1 interaction: the N-terminal SH3 domain of Grb2 mediates affinity. *Oncogene.* 11:1107-12.
225. Santoro, M., Carlomagno, F., Romano, A., Bottaro, D. P., Dathan, N. A., Grieco, M., Fusco, A., Vecchio, G., Matoskova, B., Kraus, M. H. and Di Fiore, P. P. 1995. Activation of RET as a dominant transforming gene by germline mutations of MEN2A and MEN2B. *Science.* 267:381-3.
226. Pelicci, G., Lanfrancone, L., Salcini, A. E., Romano, A., Mele, S., Grazia Borrello, M., Segatto, O., Di Fiore, P. P. and Pelicci, P. G. 1995. Constitutive phosphorylation of Shc proteins in human tumors. *Oncogene.* 11:899-907.
227. Pandey, A., Duan, H., Di Fiore, P. P. and Dixit, V. M. 1995. The Ret receptor protein tyrosine kinase associates with the SH2-containing adapter protein Grb10. *J Biol Chem.* 270:21461-3.
228. Matoskova, B., Wong, W. T., Salcini, A. E., Pelicci, P. G. and Di Fiore, P. P. 1995. Constitutive phosphorylation of eps8 in tumor cell lines: relevance to malignant transformation. *Mol Cell Biol.* 15:3805-12.
229. Karlsson, T., Songyang, Z., Landgren, E., Lavergne, C., Di Fiore, P. P., Anafi, M., Pawson, T., Cantley, L. C., Claesson-Welsh, L. and Welsh, M. 1995. Molecular interactions of the Src homology 2 domain protein Shb with phosphotyrosine residues, tyrosine kinase receptors and Src homology 3 domain proteins. *Oncogene.* 10:1475-83.
230. Castagnino, P., Biesova, Z., Wong, W. T., Fazioli, F., Gill, G. N. and Di Fiore, P. P. 1995. Direct binding of eps8 to the juxtamembrane domain of EGFR is phosphotyrosine- and SH2-independent. *Oncogene.* 10:723-9.

231. Avantiagato, V., Torino, A., Wong, W. T., Di Fiore, P. P. and Simeone, A. 1995. Expression of the receptor tyrosine kinase substrate genes *eps8* and *eps15* during mouse development. *Oncogene*. 11:1191-8.
232. Alimandi, M., Romano, A., Curia, M. C., Muraro, R., Fedi, P., Aaronson, S. A., Di Fiore, P. P. and Kraus, M. H. 1995. Cooperative signaling of ErbB3 and ErbB2 in neoplastic transformation and human mammary carcinomas. *Oncogene*. 10:1813-21.
233. Wong, W. T., Kraus, M. H., Carlomagno, F., Zelano, A., Druck, T., Croce, C. M., Huebner, K. and Di Fiore, P. P. 1994. The human *eps15* gene, encoding a tyrosine kinase substrate, is conserved in evolution and maps to 1p31-p32. *Oncogene*. 9:1591-7.
234. Wong, W. T., Carlomagno, F., Druck, T., Barletta, C., Croce, C. M., Huebner, K., Kraus, M. H. and Di Fiore, P. P. 1994. Evolutionary conservation of the *EPS8* gene and its mapping to human chromosome 12q23-q24. *Oncogene*. 9:3057-61.
235. Santoro, M., Wong, W. T., Aroca, P., Santos, E., Matoskova, B., Grieco, M., Fusco, A. and Di Fiore, P. P. 1994. An epidermal growth factor receptor/ret chimera generates mitogenic and transforming signals: evidence for a ret-specific signaling pathway. *Mol Cell Biol*. 14:663-75.
236. Romano, A., Wong, W. T., Santoro, M., Wirth, P. J., Thorgeirsson, S. S. and Di Fiore, P. P. 1994. The high transforming potency of *erbB-2* and *ret* is associated with phosphorylation of paxillin and a 23 kDa protein. *Oncogene*. 9:2923-33.
237. Fedi, P., Pierce, J. H., Di Fiore, P. P. and Kraus, M. H. 1994. Efficient coupling with phosphatidylinositol 3-kinase, but not phospholipase C gamma or GTPase-activating protein, distinguishes ErbB-3 signaling from that of other ErbB/EGFR family members. *Mol Cell Biol*. 14:492-500.
238. Sorkin, A., Di Fiore, P. P. and Carpenter, G. 1993. The carboxyl terminus of epidermal growth factor receptor/*erbB-2* chimerae is internalization impaired. *Oncogene*. 8:3021-8.
239. Segatto, O., Pelicci, G., Giuli, S., Digiesi, G., Di Fiore, P. P., McGlade, J., Pawson, T. and Pelicci, P. G. 1993. Shc products are substrates of *erbB-2* kinase. *Oncogene*. 8:2105-12.
240. Fazioli, F., Wong, W. T., Ullrich, S. J., Sakaguchi, K., Appella, E. and Di Fiore, P. P. 1993. The ezrin-like family of tyrosine kinase substrates: receptor-specific pattern of tyrosine phosphorylation and relationship to malignant transformation. *Oncogene*. 8:1335-45.
241. Fazioli, F., Minichiello, L., Matoskova, B., Wong, W. T. and Di Fiore, P. P. 1993. *eps15*, a novel tyrosine kinase substrate, exhibits transforming activity. *Mol Cell Biol*. 13:5814-28.
242. Fazioli, F., Minichiello, L., Matoska, V., Castagnino, P., Miki, T., Wong, W. T. and Di Fiore, P. P. 1993. *Eps8*, a substrate for the epidermal growth factor receptor kinase, enhances EGF-dependent mitogenic signals. *EMBO J*. 12:3799-808.
243. Segatto, O., Lonardo, F., Helin, K., Wexler, D., Fazioli, F., Rhee, S. G. and Di Fiore, P. P. 1992. *erbB-2* autophosphorylation is required for mitogenic action and high-affinity substrate coupling. *Oncogene*. 7:1339-46.
244. Kasprzyk, P. G., Song, S. U., Di Fiore, P. P. and King, C. R. 1992. Therapy of an animal model of human gastric cancer using a combination of anti-*erbB-2* monoclonal antibodies. *Cancer Res*. 52:2771-6.
245. Fazioli, F., Bottaro, D. P., Minichiello, L., Auricchio, A., Wong, W. T., Segatto, O. and Di Fiore, P. P. 1992. Identification and biochemical characterization of novel putative substrates for the epidermal growth factor receptor kinase. *J Biol Chem*. 267:5155-61.
246. Di Fiore, P. P. and Kraus, M. H. 1992. Mechanisms involving an expanding *erbB*/EGF receptor family of tyrosine kinases in human neoplasia. *Cancer Treat Res*. 61:139-60.
247. Di Fiore, P. P., Helin, K., Kraus, M. H., Pierce, J. H., Artrip, J., Segatto, O. and Bottaro, D. P. 1992. A single amino acid substitution is sufficient to modify the mitogenic properties of the epidermal growth factor receptor to resemble that of *gp185erbB-2*. *EMBO J*. 11:3927-33.
248. Segatto, O., Lonardo, F., Wexler, D., Fazioli, F., Pierce, J. H., Bottaro, D. P., White, M. F. and Di Fiore, P. P. 1991. The juxtamembrane regions of the epidermal growth factor receptor and *gp185erbB-2* determine the specificity of signal transduction. *Mol Cell Biol*. 11:3191-202.

249. Pierce, J. H., Arnstein, P., DiMarco, E., Artrip, J., Kraus, M. H., Lonardo, F., Di Fiore, P. P. and Aaronson, S. A. 1991. Oncogenic potential of erbB-2 in human mammary epithelial cells. *Oncogene*. 6:1189-94.
250. Fazioli, F., Kim, U. H., Rhee, S. G., Molloy, C. J., Segatto, O. and Di Fiore, P. P. 1991. The erbB-2 mitogenic signaling pathway: tyrosine phosphorylation of phospholipase C-gamma and GTPase-activating protein does not correlate with erbB-2 mitogenic potency. *Mol Cell Biol*. 11:2040-8.
251. Di Fiore, P. P., Segatto, O. and Aaronson, S. A. 1991. Cloning, expression, and biological effects of erbB-2/neu gene in mammalian cells. *Methods Enzymol*. 198:272-7.
252. Segatto, O., Lonardo, F., Pierce, J. H., Bottaro, D. P. and Di Fiore, P. P. 1990. The role of autophosphorylation in modulation of erbB-2 transforming function. *New Biol*. 2:187-95.
253. Pierce, J. H., Di Marco, E., Cox, G. W., Lombardi, D., Ruggiero, M., Varesio, L., Wang, L. M., Choudhury, G. G., Sakaguchi, A. Y., Di Fiore, P. P. and et al. 1990. Macrophage-colony-stimulating factor (CSF-1) induces proliferation, chemotaxis, and reversible monocytic differentiation in myeloid progenitor cells transfected with the human c-fms/CSF-1 receptor cDNA. *Proc Natl Acad Sci U S A*. 87:5613-7.
254. Lonardo, F., Di Marco, E., King, C. R., Pierce, J. H., Segatto, O., Aaronson, S. A. and Di Fiore, P. P. 1990. The normal erbB-2 product is an atypical receptor-like tyrosine kinase with constitutive activity in the absence of ligand. *New Biol*. 2:992-1003.
255. King, C. R., Kraus, M. H., Di Fiore, P. P., Paik, S. and Kasprzyk, P. G. 1990. Implications of erbB-2 overexpression for basic science and clinical medicine. *Semin Cancer Biol*. 1:329-37.
256. Heidaran, M. A., Fleming, T. P., Bottaro, D. P., Bell, G. I., Di Fiore, P. P. and Aaronson, S. A. 1990. Transformation of NIH3T3 fibroblasts by an expression vector for the human epidermal growth factor precursor. *Oncogene*. 5:1265-70.
257. Di Marco, E., Pierce, J. H., Knicley, C. L. and Di Fiore, P. P. 1990. Transformation of NIH 3T3 cells by overexpression of the normal coding sequence of the rat neu gene. *Mol Cell Biol*. 10:3247-52.
258. Di Marco, E., Pierce, J. H., Aaronson, S. A. and Di Fiore, P. P. 1990. Mechanisms by which EGF receptor and TGF alpha contribute to malignant transformation. *Nat Immun Cell Growth Regul*. 9:209-21.
259. Di Fiore, P. P., Segatto, O., Taylor, W. G., Aaronson, S. A. and Pierce, J. H. 1990. EGF receptor and erbB-2 tyrosine kinase domains confer cell specificity for mitogenic signaling. *Science*. 248:79-83.
260. Di Fiore, P. P., Segatto, O., Lonardo, F., Fazioli, F., Pierce, J. H. and Aaronson, S. A. 1990. The carboxy-terminal domains of erbB-2 and epidermal growth factor receptor exert different regulatory effects on intrinsic receptor tyrosine kinase function and transforming activity. *Mol Cell Biol*. 10:2749-56.
261. Di Marco, E., Pierce, J. H., Fleming, T. P., Kraus, M. H., Molloy, C. J., Aaronson, S. A. and Di Fiore, P. P. 1989. Autocrine interaction between TGF alpha and the EGF-receptor: quantitative requirements for induction of the malignant phenotype. *Oncogene*. 4:831-8.
262. Berlingieri, M. T., Musti, A. M., Avvedimento, V. E., Di Lauro, R., Di Fiore, P. P. and Fusco, A. 1989. The block of thyroglobulin synthesis, which occurs upon transformation of rat thyroid epithelial cells, is at the transcriptional level and it is associated with methylation of the 5' flanking region of the gene. *Exp Cell Res*. 183:277-83.
263. Aaronson, S. A., Falco, J. P., Taylor, W. G., Cech, A. C., Marchese, C., Finch, P. W., Rubin, J., Weissman, B. E. and Di Fiore, P. P. 1989. Pathways in which growth factors and oncogenes interact in epithelial cell mitogenic signal transduction. *Ann N Y Acad Sci*. 567:122-9.
264. Segatto, O., King, C. R., Pierce, J. H., Di Fiore, P. P. and Aaronson, S. A. 1988. Different structural alterations upregulate in vitro tyrosine kinase activity and transforming potency of the erbB-2 gene. *Mol Cell Biol*. 8:5570-4.

265. Pierce, J. H., Ruggiero, M., Fleming, T. P., Di Fiore, P. P., Greenberger, J. S., Varticovski, L., Schlessinger, J., Rovera, G. and Aaronson, S. A. 1988. Signal transduction through the EGF receptor transfected in IL-3-dependent hematopoietic cells. *Science*. 239:628-31.
266. Kraus, M. H., Pierce, J. H., Fleming, T. P., Robbins, K. C., Di Fiore, P. P. and Aaronson, S. A. 1988. Mechanisms by which genes encoding growth factors and growth factor receptors contribute to malignant transformation. *Ann N Y Acad Sci*. 551:320-35; discussion 336.
267. Kraus, M. H., Di Fiore, P. P., Pierce, J. H. and Aaronson, S. A. 1988. Different mechanisms are responsible for oncogene activation in human mammary neoplasia. *Cancer Treat Res*. 40:49-66.
268. Falco, J. P., Taylor, W. G., Di Fiore, P. P., Weissman, B. E. and Aaronson, S. A. 1988. Interactions of growth factors and retroviral oncogenes with mitogenic signal transduction pathways of Balb/MK keratinocytes. *Oncogene*. 2:573-8.
269. Di Fiore, P. P., Falco, J., Borrello, I., Weissman, B. and Aaronson, S. A. 1988. The calcium signal for BALB/MK keratinocyte terminal differentiation counteracts epidermal growth factor (EGF) very early in the EGF-induced proliferative pathway. *Mol Cell Biol*. 8:557-63.
270. Beckmann, M. P., Betsholtz, C., Heldin, C. H., Westermark, B., Di Marco, E., Di Fiore, P. P., Robbins, K. C. and Aaronson, S. A. 1988. Comparison of biological properties and transforming potential of human PDGF-A and PDGF-B chains. *Science*. 241:1346-9.
271. Giancotti, V., Pani, B., D'Andrea, P., Berlingieri, M. T., Di Fiore, P. P., Fusco, A., Vecchio, G., Philp, R., Crane-Robinson, C., Nicolas, R. H. and et al. 1987. Elevated levels of a specific class of nuclear phosphoproteins in cells transformed with v-ras and v-mos oncogenes and by cotransfection with c-myc and polyoma middle T genes. *EMBO J*. 6:1981-7.
272. Giancotti, V., Pani, B., D'Andrea, P., Berlingieri, M. T., Di Fiore, P. P., Fusco, A., Vecchio, G., Crane-Robinson, C. and Goodwin, G. H. 1987. Histone and nonhistone proteins from normal and virus-transformed rat thyroid epithelial cells. *Basic Appl Histochem*. 31:229-38.
273. Fusco, A., Berlingieri, M. T., Di Fiore, P. P., Portella, G., Grieco, M. and Vecchio, G. 1987. One- and two-step transformations of rat thyroid epithelial cells by retroviral oncogenes. *Mol Cell Biol*. 7:3365-70.
274. Di Fiore, P. P., Pierce, J. H., Kraus, M. H., Segatto, O., King, C. R. and Aaronson, S. A. 1987. erbB-2 is a potent oncogene when overexpressed in NIH/3T3 cells. *Science*. 237:178-82.
275. Di Fiore, P. P., Pierce, J. H., Fleming, T. P., Hazan, R., Ullrich, A., King, C. R., Schlessinger, J. and Aaronson, S. A. 1987. Overexpression of the human EGF receptor confers an EGF-dependent transformed phenotype to NIH 3T3 cells. *Cell*. 51:1063-70.
276. Vecchio, G., Di Fiore, P. P., Fusco, A., Colletta, G., Weissman, B. E. and Aaronson, S. A. 1986. In vitro transformation of epithelial cell by acute retroviruses. *Horiz Biochem Biophys*. 8:415-70.
277. Pierce, J. H., Gazit, A., Di Fiore, P. P., Kraus, M., Pennington, C. Y., Holmes, K. L., Davidson, W. F., Morse, H. C., 3rd and Aaronson, S. A. 1986. Mammalian cell transformation by a recombinant murine retrovirus containing the avian erythroblastosis virus erbB gene. *Curr Top Microbiol Immunol*. 132:55-61.
278. Grimaldi, G., Di Fiore, P. P., Locatelli, E. K., Falco, J. and Blasi, F. 1986. Modulation of urokinase plasminogen activator gene expression during the transition from quiescent to proliferative state in normal mouse cells. *EMBO J*. 5:855-61.
279. Gazit, A., Pierce, J. H., Kraus, M. H., Di Fiore, P. P., Pennington, C. Y. and Aaronson, S. A. 1986. Mammalian cell transformation by a murine retrovirus vector containing the avian erythroblastosis virus erbB gene. *J Virol*. 60:19-28.
280. Pierce, J. H., Di Fiore, P. P., Aaronson, S. A., Potter, M., Pumphrey, J., Scott, A. and Ihle, J. N. 1985. Neoplastic transformation of mast cells by Abelson-MuLV: abrogation of IL-3 dependence by a nonautocrine mechanism. *Cell*. 41:685-93.
281. Giancotti, V., Berlingieri, M. T., Di Fiore, P. P., Fusco, A., Vecchio, G. and Crane-Robinson, C. 1985. Changes in nuclear proteins on transformation of rat epithelial thyroid cells by a murine sarcoma retrovirus. *Cancer Res*. 45:6051-7.

282. Pinto, A., Attadia, V., Fusco, A., Ferrara, F., Spada, O. A. and Di Fiore, P. P. 1984. 5-Aza-2'-deoxycytidine induces terminal differentiation of leukemic blasts from patients with acute myeloid leukemias. *Blood*. 64:922-9.
283. Ferrentino, M., Di Fiore, P. P., Fusco, A., Colletta, G., Pinto, A. and Vecchio, G. 1984. Expression of the onc gene of the Kirsten murine sarcoma virus in differentiated rat thyroid epithelial cell lines. *J Gen Virol*. 65 (Pt 11):1955-61.
284. Di Fiore, P. P., Grieco, M., Pinto, A., Attadia, V., Porcelli, M., Cacciapuoti, G. and Carteni-Farina, M. 1984. Inhibition of dimethyl sulfoxide-induced differentiation of Friend erythroleukemic cells by 5'-methylthioadenosine. *Cancer Res*. 44:4096-103.
285. Colletta, G., Pinto, A., Di Fiore, P. P., Fusco, A., Ferrentino, M., Avvedimento, V. E., Tsuchida, N. and Vecchio, G. 1983. Dissociation between transformed and differentiated phenotype in rat thyroid epithelial cells after transformation with a temperature-sensitive mutant of the Kirsten murine sarcoma virus. *Mol Cell Biol*. 3:2099-109.
286. Colletta, G., Di Fiore, P. P., Fusco, A., Lettieri, F., Covelli, A. and Peschle, C. 1983. Expression of Friend leukemia virus and spleen focus-forming virus-specific sequences in erythroid bursts and granulocyte-macrophage colonies from spleen and marrow of mice infected with Friend leukemia virus. *Cancer Res*. 43:598-603.
287. Colletta, G., Di Fiore, P. P., Ferrentino, M., Pietropaolo, C., Turco, M. C. and Vecchio, G. 1980. Enhancement of viral gene expression in Friend erythroleukemic cells by 12-O tetradecanoylphorbol-13-acetate. *Cancer Res*. 40:3369-73.